


FREWAYPTT

Communications: Made Easy

SALES CATALOG 2026



Push-to-Talk Solutions for Smarter Communications

FREWAYPTT.CA

CONTENTS

TABLE OF CONTENTS

- 2) Contents
- 3) Introduction to FREEWAYPTT
- 4) Basic Features of FREEWAYPTT
- 5) Advanced Features of FREEWAYPTT
- 6) Coverage: How does FREEWAYPTT cover over such large areas?
- 7) FW-210 Ultra slim handheld radio - Overview
- 8) FW-210 - Specifications
- 9) FW-981 Ultra compact mobile radio - Overview
- 10) FW-981 - Specifications
- 11) FW-510 Ultra compact mobile radio - Overview
- 12) FW-510 - Specifications
- 13) FW-910 IP67 Waterproof heavy duty handheld radio - Overview
- 14) FW-910 - Specifications
- 15) FW-700 WIFI enabled handheld radio - Overview
- 16) FW-700 - Specifications3
- 17) FW-991 Desktop radio - Overview
- 18) FW-991 - Specifications
- 19) Introduction to SYSlink
- 20) SYSlink- Specifications
- 21) How to Contact Us
- 22) 2026 Basic Pricing Guide

Introducing FREEWAYPTT

One button is all it takes to connect your teams

FREEWAYPTT uses business-grade push-to-talk radios to connect teams instantly across the street, across the country, or across the globe.

Built for demanding industries and mission-critical operations, FREEWAYPTT delivers the reliability of traditional two-way radios with the flexibility of modern IP networks. Whether your workforce is on the road, in the field, or on the floor, everyone stays connected with a single touch of a button.

With FREEWAYPTT, organizations can:

- Communicate in real time with clear, low-latency voice
- Connect smartphones, tablets, PCs, and dedicated PTT devices on one platform
- Create and manage talk groups that mirror how your team actually works
- Extend coverage far beyond the limits of conventional radio systems
- Gain visibility and control through powerful dispatch and management tools

Transportation, logistics, public safety, construction, utilities, or private security. FREEWAYPTT is designed to support operations where every second counts and every message matters.

This catalog showcases our solutions, devices, and services that work together to give you:

- Instant, secure voice communication
- Scalable coverage over LTE, 5G, and Wi-Fi
- Rugged, field-ready hardware options
- Simple deployment and centralized management

Turn your existing network into a wide-area communications system and keep your team talking—anytime, anywhere—with FREEWAYPTT.

FREEWAYPTT

ADDRESS: 101–2602 Mt Lehman Rd, Abbotsford, BC, Canada, V4X 2N3

TEL: 1-800-737-0674

TEL: 604-850-0215

EMAIL: hello@freewayptt.ca



Dispatch Console

FreewayPTT dispatching is based around our web based dispatch software.

The web console provides instant communication and collaborative features for the dispatch / command center staff.

Our dispatch console is completely Cloud based and requires no additional hardware or system infrastructure on the users end.

Any internet enabled device has full access to FreewayPTT's industry leading technology.

Basic Features

FreewayPTT radio service is an instant, multi-party voice communications service.

We provide one-to-one and one-to-many calls.

There is no operational limit to the distance our radios can talk, as long as there is minimal cell coverage.

Yes, our radios work where cell phones do not !



GPS Positioning

The web console can view the user's real-time location information and historical tracks. Dispatchers can remotely dispatch users based on location.

By supporting GPS positioning, the dispatcher has location checking, points of interest pinning, geo fences, tracking playback, emergency location display and location based radio channel control at their fingertips.

FEATURE PACKED

ALL INCLUSIVE

Feature Rich

Continuous Development



Video Applications

FreewayPTT radio systems can leverage the mobile broadband network to realize multimedia video functions such as mobile data backhaul, real-time video interaction, retrospective recording and evidence collection.



Video applications integrate radio communications and location services to form a full spectrum multimedia command and dispatch platform.

Patrol

The patrol application effectively supervises and manages the work of patrol personnel with three patrol modes:

- > Positioning patrol
- > NFC patrol
- > Bluetooth patrol

Managers can grasp the patrol tracks, mileage statistics and duty verification of personnel in real time to ensure the implementation of safety precautions.



Cloud Based

FreewayPTT provides a standard Cloud based server and data backhaul package to our clients.

With triple layer server redundancy and multi carrier network operation we are able to provide 99.99% uptime network infrastructure.

WIDE AREA COVERAGE

NORTH AMERICA WIDE COVERAGE

Multi Carrier Sims

WIFI & Starlink Compatibility

Agnostic Multi Carrier Sims • WIFI Connectivity • Starlink Compatibility

INSTANT WIDE AREA COVERAGE



Nationwide / Wide-Area Coverage

FreewayPTT provides wide area radio communications using multiple carrier cell networks providing instantaneous communications across Canada, US & Mexico.

Multi Carrier Sims

By using multi carrier sims, FreewayPTT can guarantee that if there is cell coverage by any provider of any strength in your locality we can get you communicating.

Starlink Satellite Connectivity

Beyond the coverage of traditional cellular network providers FREEWAYPTT can also communicate over Starlink.

SAVE THE COST OF INFRASTRUCTURE

PoC radios support the advanced features of Digital Mobile Radios (DMR), including messaging, instant group calling, GPS location tracking, and emergency notifications.

Combining this functionality with Wi-Fi and 4G/LTE cellular networks provides the national coverage and bandwidth required for modern data and video applications.

Radio users are untethered by the range of repeaters and base stations used in traditional radio networks.

Radio repeaters, antenna towers, radio licensing all costs money and takes time to maintain. Offload that stress and cost onto someone else by leveraging their infrastructure investments to your benefit.

FreewayPTT provides a standard Cloud based server and data backhaul package to the majority of our clients. With triple layer server redundancy and multi carrier network operation we are able to provide 99.99% uptime network infrastructure.

OUR CARRIERS

Connect Anywhere, Anytime with FreewayPTT: Harnessing the Power of Multiple Carriers for Unmatched Coverage and Reliability.



Others

FW-210

FULL DISPLAY HANDHELD RADIO

Reliable coverage

Ultra Slim Design

Long Range 5G POC Radio • Group & Single Call • Ultra-Thin Design • GPS (Optional)

KEY BENEFITS

Nationwide / Wide-Area Coverage

Operates over 5G networks to overcome the short-range limits of conventional two-way radios. Ideal for teams spread across cities, regions or multiple sites.

Instant, Flexible Communication

Dedicated PTT (Push-to-Talk) button with support for:

- Group Calls
- One-to-One (Single Calls)
- Emergency Calls

Ultra-Thin. Professional Design

Slim and lightweight formfactor makes the FW-210 comfortable on the belt, in a pocket, or in the hand during extended shifts.

Configurable Side Keys & Optional GPS

Programmable side keys can be customized for quick access to key functions. Optional GPS positioning (depending on configuration) supports location-based dispatching and safety workflows.

Built for Professional Use

Real-Time Operating System (RTOS) ensures fast response and stable device performance in demanding communication environments.

TYPICAL APPLICATIONS

- Field operations and maintenance teams
- Security and patrol services
- Logistics and fleet coordination
- Event and venue management
- Construction, hospitality, retail and more

The FW-210 fits wherever fast, coordinated voice communication is critical to safety, productivity, and customer service.



Field Operations • Security & Patrol • Logistics • Fleets • Event Management



SPECIFICATIONS

KEY FEATURES

Network support	5G network radio (suitable for all kinds of networks, depending on operator support)
Call types	Group call, single call, friendly call, emergency call
PTT / side keys	Dedicated PTT button, side key assignment (programmable side keys)
Operating system	RTOS (Real-Time Operating System)
GPS	GPS positioning (optional, depending on configuration)
Design	Ultra-thin, handheld 5G POC (push-to-talk over cellular) radio

GENERAL

Dimensions (H × W × D)	119 mm × 57 mm × 26 mm
Weight (including battery)	≈ 134 g (without antenna)
Working temperature	-30 °C ~ +75 °C
Operating voltage	DC 3.3 V – 4.2 V (recommended 3.8 V)
Working current (peak)	≈ 0.6 A
Average current	≈ 540 mA @ UMTS2100; ≈ 239 mA @ GSM900
Stand-by current	≈ 5 mA @ UMTS; ≈ 5 mA @ GSM
Battery capacity	1500 mAh
Charger mode	USB Type-C
Maximum power consumption	≈ 2.2 μW

FREQUENCY & RF

LTE frequency bands	FDD: B2 / B3 / B4 / B5 / B7 / B8 / B28 / B66
TX power	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)
RX sensitivity	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)

All information is based on the provided product description and may be subject to change by the manufacturer without prior notice. Actual network compatibility and features such as GPS and call services depend on the selected configuration and local mobile operators.



WHY CHOOSE FW-210?

- Replaces or complements traditional two-way radios with far greater coverage
- Reduces the need for private repeaters or ISSED licensing
- Improved coordination and response times for dispersed teams
- Compact, ergonomic device that staff are comfortable carrying and using

FW-981

FULL DISPLAY MOBILE RADIO

Reliable Coverage

Compact Radio with Maximum Functionality

Long Range LTE POC Radio • Group & Single Call • Compact Design / Easy Install • GPS (Optional)

KEY BENEFITS

Nationwide / Wide-Area Coverage

Operates over LTE networks to overcome the short-range limits of conventional two-way radios. Ideal for teams spread across cities, regions or multiple sites.

Instant, Flexible Communication

Dedicated PTT (Push-to-talk) button with support for:

- Group Calls
- One-to-one (Single Calls)
- Emergency Calls

Compact Design for Easy Install

The small footprint and simple 3 wire hook up makes the FW-981 the simplest radio to install in virtually any vehicle.

Configurable Keys & Optional GPS

Programmable keys can be customized for quick access to key functions. Options GPS positioning (depending on configuration) supports location-based dispatching and safety workflows.

Built for Professional Use

Real-Time Operating System (RTOS) ensures fast response and stable device performance in demanding communication environments.

TYPICAL APPLICATIONS

- Field operations and maintenance teams
- Security and patrol services
- Logistics and fleet coordination
- Event and venue management
- Construction, hospitality, retail and more

The FW-981 fits wherever radios are used in vehicles. Meeting all handsfree requirements in Canada allows seamless communication with drivers whilst they're moving.



Field Operations • Security & Patrol • Logistics • Fleets • Event Management



SPECIFICATIONS

KEY FEATURES

Network support	4G network radio (suitable for all kinds of networks, depending on operator support)
Call types	Group call, single call, friendly call, emergency call
PTT / side keys	Dedicated PTT button, side key assignment (programmable side keys)
Operating system	RTOS (Real-Time Operating System)
GPS	GPS positioning (optional, depending on configuration)
Design	Slim, lightweight form factor mobile 4G POC (push-to-talk over cellular) radio

GENERAL

Dimensions (H × W × D)	146 mm × 52 mm × 55 mm
Weight (including battery)	≈ 193 g
Working temperature	-30 °C ~ +75 °C
Operating voltage	DC 12V or 5V
Working current (peak)	≈ 0.6 A
Average current	≈ 540 mA @ UMTS2100; ≈ 239 mA @ GSM900
Stand-by current	≈ 5 mA @ UMTS; ≈ 5 mA @ GSM
Charger mode	USB Type-C or 12v Bare Wire
Maximum power consumption	≈ 2.2 μW

FREQUENCY & RF

LTE frequency bands	FDD: B2 / B4 / B5 / B12 / B13 / B14 / B66 / B71
TX power	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)
RX sensitivity	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)

All information is based on the provided product description and may be subject to change by the manufacturer without prior notice. Actual network compatibility and features such as GPS and call services depend on the selected configuration and local mobile operators.



WHY CHOOSE FW-981?

- Replaces or complements traditional two-way radios with far greater coverage
- Reduces the need for private repeaters or ISSED licensing
- Improved coordination and response times for dispersed teams
- Compact design provides easy install in any vehicle

FW-510

16 CHANNEL HANDHELD RADIO

Reliable Coverage

Solid frame with no display for maximum durability

Long Range LTE POC Radio • Group & Single Call • Super Durable Design • GPS (Optional)

KEY BENEFITS

Nationwide / Wide-Area Coverage

Operates over LTE networks to overcome the short-range limits of conventional two-way radios. Ideal for teams spread across cities, regions or multiple sites.

Instant, Flexible Communication

Dedicated PTT (Push-to-talk) button with support for:

- Group Calls
- One-to-one (Single Calls)
- Emergency Calls

Heavy Duty, Professional Design

Heavy duty & waterproof housing makes the FW-510 durable on the belt, in a pocket, or in the hand during extended shifts.

Configurable Side Keys & Optional GPS

Programmable side keys can be customized for quick access to key functions. Optional GPS positioning supports location-based dispatching and safety workflows.

Built for Professional Use

Real-Time Operating System (RTOS) ensures fast response and stable device performance in demanding communication environments.

TYPICAL APPLICATIONS

- Field operations and maintenance teams
- Security and patrol services
- Logistics and fleet coordination
- Event and venue management
- Construction, hospitality, retail and more

The FW-510 fits wherever fast, coordinated voice communication is critical to safety, productivity, and customer service.



Field Operations • Security & Patrol • Logistics • Fleets • Event Management



SPECIFICATIONS

KEY FEATURES

Network support	LTE network radio (suitable for all kinds of networks, depending on operator support)
Call types	Group call, single call, friendly call, emergency call
PTT / side keys	Dedicated PTT button, side key assignment (programmable side keys)
Operating system	RTOS (Real-Time Operating System)
GPS	GPS positioning (optional, depending on configuration)
Design	Compact, handheld LTE POC (push-to-talk over cellular) radio

GENERAL

Dimensions (H × W × D)	111 mm × 15 mm × 40 mm
Weight (including battery)	227 g
Working temperature	-30 °C ~ +75 °C
Operating voltage	DC 3.3 V – 4.2 V (recommended 3.6 V)
Working current (peak)	≈ 0.6 A
Average current	≈ 540 mA @ UMTS2100; ≈ 239 mA @ GSM900
Stand-by current	≈ 5 mA @ UMTS; ≈ 5 mA @ GSM
Battery capacity	5000 mAh
Charger mode	USB Type-C
Maximum power consumption	≈ 2.2 μW

FREQUENCY & RF

LTE frequency bands	FDD: B1 / B2 / B3 / B5 / B7 / B8 / B40
TX power	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)
RX sensitivity	LTE: -22 dBm (3GPP TS 36.101 R9 Class 3)



WHY CHOOSE FW-510?

- Replaces or complements traditional two-way radios with far greater coverage
- Reduces the need for private repeaters or ISSED licensing
- Improved coordination and response times for dispersed teams
- Ergonomic device that staff are comfortable carrying and using

FW-910

FULL DISPLAY HANDHELD RADIO

Reliable Coverage
IP67 Waterproof Radio

Long Range 5G POC Radio • Group & Single Call • Heavy Duty Design • IP67 Waterproof

KEY BENEFITS

Nationwide / Wide-Area Coverage

Operates over 5G networks to overcome the short-range limits of conventional two-way radios. Ideal for teams spread across cities, regions or multiple sites.

Instant, Flexible Communication

Dedicated PTT (Push-to-talk) button with support for:

- Group Calls
- One-to-one (Single Calls)
- Emergency Calls

Heavy Duty / Waterproof. Professional Design

Heavy duty & waterproof housing makes the FW-910 durable on the belt, in a pocket, or in the hand during extended shifts.

Configurable Side Keys & Optional GPS

Programmable side keys can be customized for quick access to key functions. Optional GPS positioning (depending on configuration) supports location-based dispatching and safety workflows.

Built for Professional Use

Real-Time Operating System (RTOS) ensures fast response and stable device performance in demanding communication environments.

TYPICAL APPLICATIONS

- Field operations and maintenance teams
- Security and patrol services
- Logistics and fleet coordination
- Event and venue management
- Construction, hospitality, retail and more

The FW-910 fits wherever fast, coordinated voice communication is critical to safety, productivity, and customer service.



Field Operations • Security & Patrol • Logistics • Fleets • Event Management



SPECIFICATIONS

KEY FEATURES

Network support	5G network radio (suitable for all kinds of networks, depending on operator support)
Call types	Group call, single call, friendly call, emergency call
PTT / side keys	Dedicated PTT button, side key assignment (programmable side keys)
Operating system	RTOS (Real-Time Operating System)
GPS	GPS positioning (optional, depending on configuration)
Design	IP67 Waterproof, heavy duty, handheld 5G POC (push-to-talk over cellular) radio

GENERAL

Dimensions (H × W × D)	115 mm × 55 mm × 33 mm
Weight (including battery)	≈ 275 g (without antenna)
Working temperature	-30 °C ~ +75 °C
Operating voltage	DC 3.3 V – 4.2 V (recommended 3.8 V)
Working current (peak)	≈ 0.6 A
Average current	≈ 540 mA @ UMTS2100; ≈ 239 mA @ GSM900
Stand-by current	≈ 5 mA @ UMTS; ≈ 5 mA @ GSM
Battery capacity	3000 mAh
Charger mode	USB Type-C
Maximum power consumption	≈ 2.2 μW

FREQUENCY & RF

LTE frequency bands (North / South America)	FDD: B2 / B3 / B4 / B5 / B7 / B8 / B20 / B28 / B66
TX power	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)
RX sensitivity	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)

All information is based on the provided product description and may be subject to change by the manufacturer without prior notice. Actual network compatibility and features such as GPS and call services depend on the selected configuration and local mobile operators.



WHY CHOOSE FW-910?

- Replaces or complements traditional two-way radios with far greater coverage
- Reduces the need for private repeaters or ISED licensing
- Improved coordination and response times for dispersed teams
- Compact, ergonomic device that staff are comfortable carrying and using

FW-700

WIFI HANDHELD RADIO

Reliable coverage

Slim, Light Design

Long Range LTE POC Radio • Group & Single Call • Compact Design / Easy Install • WIFI Network Compatible

KEY BENEFITS

Nationwide / Wide-Area Coverage

Operates over LTE networks to overcome the short-range limits of conventional two-way radios. Ideal for teams spread across cities, regions or multiple sites.

Instant, Flexible Communication

Dedicated PTT (Push-to-talk) button with support for:

- Group Calls
- One-to-one (Single Calls)
- Emergency Calls

WIFI Enabled

The FW-700 is our WIFI network compatible radio. This enables companies working within a defined network area to leverage the coverage of their WIFI and save on cellular costs.

Configurable Side Keys & Optional GPS

Programmable side keys can be customized for quick access to key functions. Optional GPS positioning supports location-based dispatching and safety workflows.

Built for Professional Use

Real-Time Operating System (RTOS) ensures fast response and stable device performance in demanding communication environments.

TYPICAL APPLICATIONS

- Field operations and maintenance teams
- Security and patrol services
- Logistics and fleet coordination
- Event and venue management
- Construction, hospitality, retail and more

The FW-700 fits wherever there is a lack of cell coverage or all devices are used in a defined area like a factory with excellent WIFI coverage.



Field Operations • Security & Patrol • Logistics • Fleets • Event Management



SPECIFICATIONS

KEY FEATURES

Network support	LTE and WIFI network radio (suitable for all kinds of networks, depending on operator support)
Call types	Group call, single call, friendly call, emergency call
PTT / side keys	Dedicated PTT button, side key assignment (programmable side keys)
Operating system	RTOS (Real-Time Operating System)
GPS	GPS positioning (optional, depending on configuration)
Design	Ultra-thin, handheld POC (push-to-talk over cellular) radio

GENERAL

Dimensions (H × W × D)	108 mm × 58 mm × 30 mm
Weight (including battery)	≈ 243 g
Working temperature	-30 °C ~ +75 °C
Operating voltage	DC 3.3 V – 4.2 V (recommended 3.7 V)
Working current (peak)	≈ 0.6 A
Average current	≈ 540 mA @ UMTS2100; ≈ 239 mA @ GSM900
Stand-by current	≈ 5 mA @ UMTS; ≈ 5 mA @ GSM
Battery capacity	2500 mAh
Charger mode	Micro USB
Maximum power consumption	≈ 2.2 μW

FREQUENCY & RF

LTE frequency bands	FDD: B1 / B2 / B4 / B5 / B7 / B8 / B12 / B13 / B17 / B25 / B26
Wifi frequency bands	2.4 Ghz, 5 Ghz
TX power	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)
RX sensitivity	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)



WHY CHOOSE FW-700?

- Replaces or complements traditional two-way radios with far greater coverage
- Reduces the need for private repeaters or ISSED licensing
- Improved coordination and response times for dispersed teams
- Ergonomic device that staff are comfortable carrying and using

FW-991

DESKTOP RADIO

Reliable Coverage

Compact Radio with Maximum Functionality

Long Range LTE POC Radio • Group & Single Call • Compact Design / Easy Install • GPS (Optional)

KEY BENEFITS

Nationwide / Wide-Area Coverage

Operates over LTE networks to overcome the short-range limits of conventional two-way radios. Idea for teams spread across cities, regions or multiple sites.

Instant, Flexible Communication

Dedicated PTT (Push-to-talk) button with support for:

- Group Calls
- One-to-one (Single Calls)
- Emergency Calls

Compact Design for Easy Install

The small footprint and simple wall plug makes the FW-991 the simplest radio to set up in any office environment.

Configurable Keys & Optional GPS

Programmable keys can be customized for quick access to key functions.

Built for Professional Use

Real-Time Operating System (RTOS) ensures fast response and stable device performance in demanding communication environments.

TYPICAL APPLICATIONS

- Field operations and maintenance teams
- Security and patrol services
- Logistics and fleet coordination
- Event and venue management
- Construction, hospitality, retail and more

The FW-991 fits wherever fast, coordinated voice communication in a desktop form is required.

FW-991

Field Operations • Security & Patrol • Logistics • Fleets • Event Management



SPECIFICATIONS

KEY FEATURES

Network support	4G network radio (suitable for all kinds of networks, depending on operator support)
Call types	Group call, single call, friendly call, emergency call
PTT / side keys	Dedicated PTT button, side key assignment (programmable side keys)
Operating system	RTOS (Real-Time Operating System)
GPS	GPS positioning (optional, depending on configuration)
Design	Slim, lightweight form factor mobile 4G POC (push-to-talk over cellular) radio

GENERAL

Dimensions (H × W × D)	146 mm × 52 mm × 55 mm
Weight (including battery)	≈ 193 g
Working temperature	-30 °C ~ +75 °C
Operating voltage	DC 12V or 5V
Working current (peak)	≈ 0.6 A
Average current	≈ 540 mA @ UMTS2100; ≈ 239 mA @ GSM900
Stand-by current	≈ 5 mA @ UMTS; ≈ 5 mA @ GSM
Charger mode	USB Type-C or 12v Bare Wire
Maximum power consumption	≈ 2.2 μW

FREQUENCY & RF

LTE frequency bands	FDD: B2 / B4 / B5 / B12 / B13 / B14 / B66 / B71
TX power	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)
RX sensitivity	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)

All information is based on the provided product description and may be subject to change by the manufacturer without prior notice. Actual network compatibility and features such as GPS and call services depend on the selected configuration and local mobile operators.

WHY CHOOSE FW-991?

- Replaces or complements traditional two-way radios with far greater coverage
- Reduces the need for private repeaters or ISSED licensing
- Improved coordination and response times for dispersed teams
- Compact design means the FW-991 can fit on and desk easily and take up minimal space

SYSLINK

NETWORK BRIDGING MADE EASY

Connect your traditional two-way radios
using wide area POC radio coverage

Conventional Two-Way Radio to POC Network Bridge • Group & Emergency Call • High Power VHF/ UHF Transmitter

KEY BENEFITS

Nationwide / Wide-Area Coverage

The SYSLINK network bridge offers users the ability to integrate traditional two-way radios with LTE network radios. This solves the traditional short-range limitation of conventional two-way radios by leveraging LTE cellular networks. It is suitable for deployment on a wide range of network operators, delivering more flexibility and convenience for teams that need reliable long-distance communication.

Instant, Flexible Communication

Dedicated support for:

- Group Calls
- Emergency Calls

Connect Locations Instantaneously

Connect multiple divisions, factories, hotels and hospitals traditional two-way radio systems to create a comprehensive communications network.

Built for Professional Use

Real-Time Operating System (RTOS) ensures fast response and stable device performance in demanding communication environments.

TYPICAL APPLICATIONS

- Factories
- Distribution / Warehousing
- Hotel and Hospitality Venues
- Event and Venue Management
- Multi Campus Schools or Companies

SYSLINK fits wherever fast, coordinated voice communication is critical to safety, productivity, and customer service.



Factories • Distribution • Hotel • Hospital • Multi Campus Operations



SPECIFICATIONS

KEY FEATURES

Network support	LTE to Conventional VHF / UHF radio
Call types	Group call, emergency call
Operating system	RTOS (Real-Time Operating System)

GENERAL

Dimensions (H × W × D)	72 mm × 135 mm × 199 mm
Weight	≈ 918 g (without antennas)
Working temperature	-30 °C ~ +75 °C
Operating voltage	DC 12V
Working current (peak)	≈ 7.0 A
Stand-by current	≈ 5 mA @ UMTS; ≈ 5 mA @ GSM
Charger mode	AC (120v) / DC (12v) Isolated Block Power Supply

FREQUENCY & RF

LTE frequency bands	FDD: B1 / B2 / B3 / B5 / B7 / B8 / B40
VHF frequency band (Analog)	VHF: 136-174MHz
UHF frequency band (DMR and Analog)	UHF: 400-470MHz
TX power (LTE)	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)
TX power (VHF)	VHF (Analog): 10W
TX power (UHF)	UHF (DMR or Analog): 10W
RX sensitivity	LTE: +22 dBm (3GPP TS 36.101 R9 Class 3)

All information is based on the provided product description and may be subject to change by the manufacturer without prior notice. Actual network compatibility and features such as GPS and call services depend on the selected configuration and local mobile operators.

WHY CHOOSE SYSLINK?

- Replaces or complements traditional two-way radios with far greater coverage
- Reduces the need for private repeaters or ISSED licensing
- Improved coordination and response times for dispersed teams
- Instantaneous cross band communications between Two-Way and POC devices

CONTACT US

At FreewayPTT, we believe that our success is driven by the incredible people who make up our team.

LET'S TALK



TELEPHONE
1 800 737 0674



EMAIL ADDRESS
hello@freewayptt.ca



CHRIS SAUNDERS

GM - System Development (R&D)
20+ Years with Company



JOSH DUMONT

Manager Client On-Boarding
5+ Years with Company

MEET OUR LEADERSHIP TEAM

At FreewayPTT, we believe that our success is driven by the incredible people who make up our team. We are proud to have assembled a group of world-class professionals who bring a wealth of experience, talent, and passion to our company.

Please reach out and let us know how we can help you accomplish the goals of your operation.



RITA EVISON

Manager Customer Support
5+ Years with Company

FREEWAYPTT

ADDRESS: 101–2602 Mt Lehman Rd, Abbotsford, BC, Canada, V4X 2N3

TEL: 1-800-737-0674

TEL: 604-850-0215

EMAIL: hello@freewayptt.ca

PRICE GUIDE

DEVICES DESIGNED FOR YOU

Our pricing varies and from time to time we may need to make adjustments to our pricing.
Contact us directly to ensure you are always getting the best price we can offer.



FW-981
Mobile Radio

\$299



FW-991
Desktop Radio

\$350



FW-210
Handheld Radio

\$99 ~~\$176~~



FW-910
IP67 Waterproof Handheld Radio

\$199 ~~\$275~~



FW-510
Handheld Radio

\$285



FW-700
WIFI Handheld Radio

\$199



REMOTE MIC
IP67 Waterproof Mic

\$89



1 WIRE EAR PIECE
Surveillance Kit

\$89

**Basic
Plan**
Per Month

\$25

- Per User
- For Radio Devices

**Web / App
User**
Per Month

\$10

- Per User
- Android or iOS App

**Enterprise
User**
Per Month

- Per User
- Video Dispatch

Enterprise user rate is determined on a per customer basis based on the features required. Contact us for a quote today.