HO 430 HTB 43" Open Frame Touch Monitor

Experts in **Display**

Open Frame Touch Monitor HO 430 HTB

43" / 109,22cm Diagonal LED Backlight – Format 16:9

- 1920 x 1080 Full HD 1080P Resolution
- 10-Point Touch P-Cap Technology
- 178° / 178° Ultra Wide Viewing Angle
- 1200:1 High Contrast Ratio
- Display Protection: Thickness 4mm
- IP54 (front) Rating Level
- ≥6H Toughened Hard Panel Surface
- Slim Profile with Narrow Edges
- Touch-Through Glass (available upon request*)
- VESA Mount and Multiple Mounting Options
- Orientation: Landscape, Portrait, Face-Up



43" / 109,22 cm

Part. No.:: HO 430 HTB

SIZE, RESOLUTION



43″

16:9 Aspect Ratio



Full HD 1920 x 1080

CONNECTIVITY, IP LEVEL



HDMI VGA



IP 54 Water & Dust Protection

VIEWING ANGLE, VESA



178 Ultra-Wide Viewing Angle



VESA

OTHER FEATURES



10 Points Touch



Display Protection

Technical Specifications >>>

* For more details contact your local HSP office / representative or send us a request via the product enquiry form on the website.



HO 430 HTB 43" Open Frame Touch Monitor

Experts in **Display**

Display Size	109,22 cm / 43" Diagonal
Panel Type	TFT – LED Backlight
Aspect Ratio	16:9
Resolution (H x V)	1920 x 1080 Full HD
Brightness	350cd/m² (Panel), 300cd/m² (Monitor)
Contrast (Typ.)	1.200:1 (Typical)
Display Area	943 (H) x 531(V)
Viewing Angle L/R; U/D	178° H / 178° V (CR > 10)
Response Time	8 msec
Pixel Pitch	0,490 (H) x 0,490 (V) mm
Touch Type	Projected Capacitive Type – 10 Point Touch Material Glass + Glass
Display Colors	16.7M Colors
Horizontal Frequency	30 ~ 83 kHz
Vertical Frequency	60 Hz
Max Display Frequency	1920 x 1080 @ 60Hz
Input 1	VGA
Input 2	HDMI
Input 3	USB Type B (Touch)
Input 4	-
Power Consumption	On: 61W; Stand-by: ≤2,65W; Off: ≤2,6W (TBC)
AC Power Range	AC 100 ~ 240 Volt; 50 ~ 60 Hz
Product Dimensions	1013.3 x 69 x 601.5 mm (W x D x H)
Packing Dimensions	1110 x 170 x 700 mm (W x D x H)
Net / Gross Weight	28 Kg / 30 Kg

VESA Mounting	400 x 400 mm
Display Protection	TP Thickness 4±0.3 mm
Hardness / Transmittance	≥6H Toughened hard panel surface / ≥85%
IP Rating Level	IP 54 (Front), Water and Dust Protection *
Controls	Power, Auto, (+), (-), Menu
Accessory	Power supply; HDMI Cable (1.5m); USB Cable for Touch.
Certifications	CE, RoHS
On Screen Display	9 Languages
Kensington Lock	NA
OS Support	Windows 7/8/10 (Multi-touch) Windows XP (Single-touch) Linux (Drivers Needed) Android 5.1 onwards
Orientation	Landscape, Portrait, Face-Up

PART. NO.: **HO 430 HTB**

* IP54: The IP Code classifies how resistant a device is to foreign objects and moisture.

IP54 means that the monitor will operate in dusty conditions, and will resist splashing water.

HO 430 HTB 43" Open Frame Touch Monitor







