



02. CUPBOARDS LUX SERIES

- Steel AISI 304
- Welded construction
- Execution versions: without doors; with swing doors; with sliding doors; with drawers
- Frame — square tube 40x40 mm
- It is possible to manufacture products with non-standard sizes



Size of product in the package:

Type of construction	Calculation formula, length x depth x height
	Length + 10 mm X Depth + 10 mm X 935 mm - for cupboards with backsplash Length + 10 mm X Depth + 10 mm X 855 mm - for cupboards without backsplash

CUPBOARD LUX WITH BACKSPLASH WITHOUT DOORS

Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note	
		Code	W, kgr		Code	W, kgr		
600	600	002.6LS.13324	30,3	700	002.7LS.13511	33,7	100 kg	
700	600	002.6LS.13325	33,7	700	002.7LS.13512	37,6		
800	600	002.6LS.13326	37,2	700	002.7LS.13513	41,4		
900	600	002.6LS.13327	40,6	700	002.7LS.13514	45,3		
1000	600	002.6LS.13328	44,1	700	002.7LS.13515	49,1		
1100	600	002.6LS.13329	47,5	700	002.7LS.13516	52,9		
1200	600	002.6LS.13330	51,0	700	002.7LS.13517	56,8		
1300	600	002.6LS.13331	54,4	700	002.7LS.13518	60,6		
1400	600	002.6LS.13332	57,9	700	002.7LS.13519	64,4		
1500	600	002.6LS.13333	61,3	700	002.7LS.13520	68,3		
1600	600	002.6LS.13334	64,8	700	002.7LS.13521	72,1		80 kg
1700	600	002.6LS.13335	68,2	700	002.7LS.13522	76,0		
1800	600	002.6LS.13336	71,7	700	002.7LS.13523	79,8		



CUPBOARD LUX WITH BACKSPLASH WITH SWING DOORS

Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
600	600	002.6LS.01851	35,1	700	002.7LS.13532	38,7	1 swing door 100 kg
700	600	002.6LS.13343	39,6	700	002.7LS.13533	43,6	
800	600	002.6LS.13344	44,2	700	002.7LS.01887	48,6	
900	600	002.6LS.13345	48,6	700	002.7LS.13534	53,4	
1000	600	002.6LS.13346	53,1	700	002.7LS.13535	58,3	
1100	600	002.6LS.13347	57,5	700	002.7LS.13536	63,1	
1200	600	002.6LS.13348	61,9	700	002.7LS.13537	67,9	
1300	600	002.6LS.13349	66,4	700	002.7LS.13538	72,8	
1400	600	002.6LS.13350	70,8	700	002.7LS.13539	77,6	
1500	600	002.6LS.13351	77,7	700	002.7LS.13540	85,4	
1600	600	002.6LS.13352	82,1	700	002.7LS.13541	90,2	2 swing doors 80 kg
1700	600	002.6LS.13353	86,6	700	002.7LS.13542	95,1	
1800	600	002.6LS.13354	91,0	700	002.7LS.13543	99,9	



It is possible to manufacture **CUPBOARDS LUX** series:

- more than 1800 mm long. In this case, the cupboards are with 6 legs and in version with swing doors — 4 doors
- also cupboards on request can be equipped with locks.

CUPBOARD LUX WITH BACKSPLASH WITH SLIDING DOORS



Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
1000	600	002.6LS.13339	57,2	700	002.7LS.07185	62,4	100 kg
1100	600	002.6LS.06162	62,0	700	002.7LS.13526	67,6	
1200	600	002.6LS.04773	66,8	700	002.7LS.05449	72,8	
1300	600	002.6LS.13340	71,5	700	002.7LS.13527	78,0	
1400	600	002.6LS.05661	76,3	700	002.7LS.13528	83,2	
1500	600	002.6LS.00863	81,1	700	002.7LS.06738	88,3	
1600	600	002.6LS.13341	85,9	700	002.7LS.13529	93,5	80 kg
1700	600	002.6LS.13342	90,7	700	002.7LS.13530	98,7	
1800	600	002.6LS.04753	95,5	700	002.7LS.13531	103,9	

CUPBOARD LUX WITH BACKSPLASH WITH DRAWERS



Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
400	600	002.6LS.17017	41,1	700	002.7LS.17028	43,8	With 3 drawers. Max. box load 36 kg
500	600	002.6LS.17016	44,5	700	002.7LS.17027	47,6	
600	600	002.6LS.13337	48,0	700	002.7LS.13524	51,4	
700	600	002.6LS.13338	51,4	700	002.7LS.13525	55,3	

CUPBOARD LUX WITHOUT BACKSPLASH WITHOUT DOORS



Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
600	600	002.6LS.13293	30,1	700	002.7LS.13476	33,7	100 kg
700	600	002.6LS.13294	33,4	700	002.7LS.13477	37,5	
800	600	002.6LS.13295	36,8	700	002.7LS.13478	41,2	
900	600	002.6LS.13296	40,1	700	002.7LS.13479	45,0	
1000	600	002.6LS.13297	43,5	700	002.7LS.13480	48,7	
1100	600	002.6LS.13298	46,8	700	002.7LS.13481	52,5	
1200	600	002.6LS.13299	50,2	700	002.7LS.13482	56,2	
1300	600	002.6LS.13300	53,5	700	002.7LS.13483	60,0	
1400	600	002.6LS.13301	56,9	700	002.7LS.13484	63,7	
1500	600	002.6LS.01045	60,2	700	002.7LS.13485	67,5	
1600	600	002.6LS.13302	63,5	700	002.7LS.13486	71,3	80 kg
1700	600	002.6LS.13303	66,9	700	002.7LS.13487	75,0	
1800	600	002.6LS.13304	70,2	700	002.7LS.13488	78,8	

CUPBOARD LUX WITHOUT BACKSPLASH WITH SWING DOORS

Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
600	600	002.6LS.13312	35,6	700	002.7LS.13499	39,2	1 swing door 100 kg
700	600	002.6LS.13313	40,0	700	002.7LS.13500	44,1	
800	600	002.6LS.13314	44,6	700	002.7LS.13501	49,1	
900	600	002.6LS.13315	49,0	700	002.7LS.13502	53,9	
1000	600	002.6LS.04772	53,5	700	002.7LS.01886	58,8	
1100	600	002.6LS.13316	57,9	700	002.7LS.13503	63,6	
1200	600	002.6LS.13317	62,3	700	002.7LS.13504	68,4	
1300	600	002.6LS.13318	66,8	700	002.7LS.13505	73,3	
1400	600	002.6LS.13319	71,2	700	002.7LS.13506	78,1	
1500	600	002.6LS.13320	69,5	700	002.7LS.13507	76,1	
1600	600	002.6LS.13321	73,3	700	002.7LS.13508	80,2	3 swing doors 80 kg
1700	600	002.6LS.13322	77,2	700	002.7LS.13509	84,4	
1800	600	002.6LS.13323	81,0	700	002.7LS.13510	88,6	



CUPBOARD LUX WITHOUT BACKSPLASH WITH SLIDING DOORS

Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
1000	600	002.6LS.01041	56,8	700	002.7LS.13490	62,0	100 kg
1100	600	002.6LS.13306	61,5	700	002.7LS.13491	67,1	
1200	600	002.6LS.01042	66,2	700	002.7LS.13492	72,2	
1300	600	002.6LS.13307	70,9	700	002.7LS.13493	77,3	
1400	600	002.6LS.13308	75,6	700	002.7LS.13494	82,4	
1500	600	002.6LS.13309	80,3	700	002.7LS.13495	87,5	
1600	600	002.6LS.13310	85,0	700	002.7LS.13496	92,6	80 kg
1700	600	002.6LS.13311	89,6	700	002.7LS.13497	97,7	
1800	600	002.6LS.01043	94,3	700	002.7LS.16124	102,8	




CUPBOARD LUX WITHOUT BACKSPLASH WITH DRAWERS

Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
400	600	002.6LS.17015	41,1	700	002.7LS.17026	43,9	With 3 drawers. Max. box load 36 kg
500	600	002.6LS.17014	44,4	700	002.7LS.17025	47,7	
600	600	002.6LS.05682	47,8	700	002.7LS.13489	51,4	
700	600	002.6LS.13305	51,1	700	002.7LS.05453	55,2	




02. CUPBOARDS BUSINESS

- Steel AISI 304
- Welded construction
- Execution versions: without doors; with swing doors; with sliding doors; with drawers
- Frame — square tube 40x40 mm
- It is possible to manufacture products with non-standard sizes



- There is the metal sheet at the bottom inside the worktop
- The worktop is enforced by wooden board
- One solid shelf for version without drawers

Size of product in the package:

Type of construction	Calculation formula, length x depth x height
	Length + 10 mm X Depth + 10 mm X 935 mm - for cupboards with backsplash Length + 10 mm X Depth + 10 mm X 855 mm - for cupboards without backsplash

CUPBOARD BUSINESS WITH BACKSPLASH WITHOUT DOORS

Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note	
		Code	W, kgr		Code	W, kgr		
600	600	002.6ES.13384	23,7	700	002.7ES.13572	26,4	100 kg	
700	600	002.6ES.13385	26,2	700	002.7ES.13573	29,0		
800	600	002.6ES.13386	28,6	700	002.7ES.06508	31,7		
900	600	002.6ES.13387	31,1	700	002.7ES.05220	34,4		
1000	600	002.6ES.06511	33,5	700	002.7ES.13574	37,1		
1100	600	002.6ES.13388	36,0	700	002.7ES.13575	39,8		
1200	600	002.6ES.04733	38,4	700	002.7ES.05032	42,5		
1300	600	002.6ES.13389	40,9	700	002.7ES.13576	45,1		
1400	600	002.6ES.13390	43,3	700	002.7ES.13577	47,8		
1500	600	002.6ES.13391	45,8	700	002.7ES.05221	50,5		
1600	600	002.6ES.13392	48,2	700	002.7ES.13578	53,2		80 kg
1700	600	002.6ES.13393	50,7	700	002.7ES.13579	55,9		
1800	600	002.6ES.13394	53,1	700	002.7ES.13580	58,6		



CUPBOARD BUSINESS WITH BACKSPLASH WITH SWING DOORS

Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
600	600	002.6ES.04714	29,2	700	002.7ES.06100	31,8	100 kg
700	600	002.6ES.13401	32,8	700	002.7ES.13588	35,6	
800	600	002.6ES.13402	36,5	700	002.7ES.13589	39,5	
900	600	002.6ES.00861	40,0	700	002.7ES.04932	43,3	
1000	600	002.6ES.01693	43,5	700	002.7ES.13590	47,1	
1100	600	002.6ES.13403	47,1	700	002.7ES.13591	50,8	
1200	600	002.6ES.13404	50,6	700	002.7ES.13592	54,6	
1300	600	002.6ES.13405	54,1	700	002.7ES.13593	58,4	
1400	600	002.6ES.13406	57,6	700	002.7ES.05034	62,1	
1500	600	002.6ES.13407	63,7	700	002.7ES.13594	68,9	
1600	600	002.6ES.13408	67,2	700	002.7ES.13595	72,7	80 kg
1700	600	002.6ES.13409	70,7	700	002.7ES.13596	76,4	
1800	600	002.6ES.13410	74,3	700	002.7ES.13597	80,2	



- It is possible to manufacture **CUPBOARDS BUSINESS** series:
- more than 1800 mm long. In this case, the tables are with 6 legs and in version with swing doors — 4 doors
 - also tables on request can be equipped with locks.

CUPBOARD BUSINESS WITH BACKSLASH WITH SLIDING DOORS



Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
1000	600	002.6ES.04970	47,5	700	002.7ES.06099	51,0	100 kg
1100	600	002.6ES.13397	51,3	700	002.7ES.13583	55,1	
1200	600	002.6ES.01673	55,2	700	002.7ES.06787	59,2	
1300	600	002.6ES.13398	59,0	700	002.7ES.13584	63,3	
1400	600	002.6ES.13399	62,9	700	002.7ES.01470	67,4	
1500	600	002.6ES.04774	66,7	700	002.7ES.04394	71,5	
1600	600	002.6ES.06180	70,6	700	002.7ES.13585	75,5	80 kg
1700	600	002.6ES.13400	74,4	700	002.7ES.07490	79,6	
1800	600	002.6ES.04750	78,3	700	002.7ES.13587	83,7	

CUPBOARD BUSINESS WITHOUT BACKSLASH WITHOUT DOORS



Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
400	600	002.6ES.05121	27,0	700	002.7ES.16989	30,1	With 3 drawers. Max. box load 36 kg
500	600	002.6ES.17013	31,5	700	002.7ES.17024	35,0	
600	600	002.6ES.13395	36,0	700	002.7ES.05033	39,8	
700	600	002.6ES.13396	40,5	700	002.7ES.13582	44,7	

CUPBOARD BUSINESS WITHOUT BACKSLASH WITHOUT DOORS



Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
600	600	002.6ES.13355	24,4	700	002.7ES.13544	27,0	100 kg
700	600	002.6ES.13356	26,8	700	002.7ES.13545	29,7	
800	600	002.6ES.13357	29,3	700	002.7ES.13546	32,4	
900	600	002.6ES.13358	31,8	700	002.7ES.13547	35,1	
1000	600	002.6ES.13359	34,3	700	002.7ES.06106	37,8	
1100	600	002.6ES.13360	36,8	700	002.7ES.13548	40,6	
1200	600	002.6ES.13361	39,3	700	002.7ES.05224	43,3	
1300	600	002.6ES.13362	41,7	700	002.7ES.13549	46,0	
1400	600	002.6ES.13363	44,2	700	002.7ES.13550	48,7	
1500	600	002.6ES.04715	46,7	700	002.7ES.13551	51,4	
1600	600	002.6ES.13364	49,2	700	002.7ES.13552	54,2	
1700	600	002.6ES.13365	51,7	700	002.7ES.13553	56,9	
1800	600	002.6ES.13366	54,2	700	002.7ES.13554	59,6	

CUPBOARD BUSINESS WITHOUT BACKSPLASH WITH SWING DOORS

Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
600	600	002.6ES.13373	29,8	700	002.7ES.13561	47,8	1 swing door 100 kg
700	600	002.6ES.13374	33,4	700	002.7ES.13562	51,6	
800	600	002.6ES.13375	37,1	700	002.7ES.13563	55,4	
900	600	002.6ES.00851	40,7	700	002.7ES.13564	59,2	
1000	600	002.6ES.13376	44,3	700	002.7ES.13565	63,0	
1100	600	002.6ES.13377	47,8	700	002.7ES.13566	70,0	
1200	600	002.6ES.13378	51,4	700	002.7ES.05523	73,8	
1300	600	002.6ES.13379	55,0	700	002.7ES.13567	77,6	
1400	600	002.6ES.13380	58,5	700	002.7ES.05528	81,4	
1500	600	002.6ES.01164	64,8	700	002.7ES.13568	32,5	
1600	600	002.6ES.13381	68,3	700	002.7ES.13569	36,3	3 swing doors 80 kg
1700	600	002.6ES.13382	71,9	700	002.7ES.13570	40,2	
1800	600	002.6ES.13383	75,5	700	002.7ES.13571	44,0	



CUPBOARD BUSINESS WITHOUT BACKSPLASH WITH SLIDING DOORS

Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
1000	600	002.6ES.13368	47,5	700	002.7ES.13556	51,1	100 kg
1100	600	002.6ES.13369	51,3	700	002.7ES.13557	55,1	
1200	600	002.6ES.04796	55,2	700	002.7ES.04797	59,2	
1300	600	002.6ES.13370	59,0	700	002.7ES.13558	63,2	
1400	600	002.6ES.04029	62,8	700	002.7ES.13559	67,3	
1500	600	002.6ES.04798	66,6	700	002.7ES.04617	71,3	
1600	600	002.6ES.13371	70,4	700	002.7ES.06115	75,4	80 kg
1700	600	002.6ES.13372	74,3	700	002.7ES.13560	79,5	
1800	600	002.6ES.04385	78,1	700	002.7ES.05695	83,5	



CUPBOARD BUSINESS WITHOUT BACKSPLASH WITH DRAWERS

Length, mm	Depth, mm	Welded construction		Depth, mm	Welded construction		Note
		Code	W, kgr		Code	W, kgr	
400	600	002.6ES.17012	27,1	700	002.7ES.17023	30,5	With 3 drawers. Max. box load 36 kg
500	600	002.6ES.17011	31,7	700	002.7ES.17022	35,4	
600	600	002.6ES.16409	36,3	700	002.7ES.06225	40,3	
700	600	002.6ES.13367	40,9	700	002.7ES.13555	45,2	

